

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"709"/\$.ccls. and CGACT	USPAT	OR	OFF	2005/10/06 10:53
S2	2609	GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:55
S3	303	GPRS and GMS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:55
S4	20118421	GPRS and GMS and PDTand @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:56
S5	10	GPRS and GMS and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:57
S6	123	GPRS and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:57
S7	24	GPRS and PDP and activat\$3 and deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:02
S8	0	GPRS and PDP and activat\$3 and (default\$3 near4 deactivat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:03
S9	0	GPRS and PDP and activat\$3 and (default\$3 with deactivat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:03

S10	1	GPRS and (default\$3 near1 PDP) and activat\$3 and deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:12
S11	0	GPRS and (default\$3 near1 PDP) and activat\$3 with deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 12:53
S12	17	GPRS and ( PDP) and activat\$3 with deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:27
S13	19	GPRS and ( PDP) and activat\$3 same deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:32
S14	2	GPRS and ( PDP) and activat\$3 same disconnect\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:33
S15	5	GPRS and ( PDP) and activat\$3 same delet\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:35
S16	135	( PDP) and activat\$3 same deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:35
S17	21	( PDP) same activat\$3 same deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 11:35

S18	0	("(mobile or wireless) and (PDP with activat\$4 with deactivat\$4) and @ad<=20001229").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:55
S19	14	(mobile or wireless) and (PDP with activat\$4 with deactivat\$4) and @ad<="20001229"	USPAT	OR	OFF	2005/10/06 13:01
S20	3	(mobile or wireless) and (PDP same (new with activat\$4) same deactivat\$4) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:03
S21	0	(mobile or wireless) and (PDP same (new with enable\$4) same disable\$4) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:03
S22	0	(mobile or wireless) and (PDP same (enable\$4) same disable\$4) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:03
S23	4779	(mobile or wireless) and ((enable\$4) same disable\$4) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:04
S24	0	(mobile or wireless) and (link41 same(enable\$4) same (disable\$4 near1 default)) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:04
S25	0	(mobile or wireless) and (link\$1 same(enable\$4) same (disable\$4 near1 default)) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:04
S26	7	(mobile or wireless) and ((enable\$4) same (disable\$4 near1 default)) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:06
S27	0	(mobile or wireless) and ((enable\$4) same (disable\$4 near1 default)) and @ad<="20001229" and pdp	USPAT	OR	ON	2005/10/06 13:05
S28	0	(mobile or wireless) and ( PDP with (disable\$4 near1 default)) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:07
S29	0	(mobile or wireless) and ( PDP with (deactivat\$4 near1 default)) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:07
S30	0	(mobile or wireless) and ( PDP with (deactivat\$4 near4 default)) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:07
S31	0	(mobile or wireless) and (PDP same (deactivat\$4 near4 default)) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:07

S32	26	(mobile or wireless) and (deactivat\$4 near4 default) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:08
S33	0	(mobile or wireless) and (dial with deactivat\$4 near4 default) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:10
S34	0	(mobile or wireless) and (dial same deactivat\$4 near4 default) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:09
S35	1	(mobile or wireless) and (modem same deactivat\$4 near4 default) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:09
S36	0	(mobile or wireless) and (modem same deactivat\$4 near1 default) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:10
S37	0	(modem same deactivat\$4 near1 default) and @ad<="20001229"	USPAT	OR	ON	2005/10/06 13:10
S38	0	(mobile or wireless) and (dial with deactivat\$4 near4 default) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:10
S39	0	(dial with deactivat\$4 near4 default) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:10
S40	247	(dial with deactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:10
S41	1	PDP and (dial with deactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:12
S42	5	PDP and (dial same deactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:18

S43	178	(mobile or wireless) and (dial same deactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:19
S44	2	(mobile or wireless) and (dial same deactivat\$4 with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:21
S45	1	PDP and (dial same deactivat\$4 with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:21
S46	0	PDP and (dial same delet\$4 with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:22
S47	0	PDP and (dial same delet\$4 with respons\$4 near4 connect\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:34
S48	0	(dial same delet\$4 with respons\$4 near4 connect\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:34
S49	4	(dial same deactivat\$4 with respons\$4 near4 connect\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:35
S50	2109	(deactivat\$4 with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:35

S51	165	(mobile or wireless)and (deactivat\$4 with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:38
S52	0	(mobile or wireless)and (deactivat\$4 near1 PDP with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:37
S53	0	(mobile or wireless)and (deactivat\$4 near2 PDP with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:37
S54	0	(mobile or wireless)and (deactivat\$4 near4 PDP with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:38
S55	1	(mobile or wireless)and (PDP same deactivat\$4 with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:39
S56	1	(mobile or wireless)and (deactivat\$4 near1 connect\$3 with respons\$4 near4 activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:40
S57	4651	(mobile or wireless)and (deactivat\$4 same activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 13:40
S58	79	(mobile or wireless)and (packet adj radio) and(deactivat\$4 same activat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:59

S59	5	(delet\$4 near1 PDP near1 context) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:08
S60	3	(dial-up with deactivat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:09
S61	15	(dial-up same deactivat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:10
S63	0	dial with deactivat with new near1 connect\$4 and @ad<="20001229"	USPAT	OR	OFF	2005/10/06 15:12
S64	0	dial with deactivat with connect\$4 and @ad<="20001229"	USPAT	OR	OFF	2005/10/06 15:12
S65	22	dial with deactivat\$4 with connect\$4 and @ad<="20001229"	USPAT	OR	OFF	2005/10/06 15:12
S66	0	dial with deactivat\$4 with new adj connect\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:13
S67	24	dial with deactivat\$4 with connect\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:18
S68	0	dial with deactivat\$4 with default\$3 near2 connect\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:18
S69	0	dial with deactivat\$4 with default\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:19

S70	0	dial same deactivat\$4 with default\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:19
S71	0	deactivat\$4 with default\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:19
S72	25	deactivat\$4 with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:21
S73	0	new near1 connection same deactivat\$4 with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:21
S74	0	new near1 activat\$4 same deactivat\$4 with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:22
S75	0	new near4 activat\$4 same deactivat\$4 with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:22
S76	19	activat\$4 same deactivat\$4 with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 09:48
S77	80910	(activat\$4 with caus\$4 deactivat\$4 with PDP) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 09:49



S78	80910	(activat\$4 with caus\$4 deactivat\$4 with PDP) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:49
S79	1	(activat\$4 with caus\$4 with deactivat\$4 with PDP) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:50
S80	1	(activat\$4 with caus\$4 with deactivat\$4 same PDP) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:50
S81	0	(activat\$4 with associat\$4 with deactivat\$4 same PDP) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:50
S82	2473	(activat\$4 with caus\$4 with deactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:50
S83	8	(activat\$4 with caus\$4 with deactivat\$4 ) and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:51
S84	2	(activat\$4 with caus\$4 with inactivat\$4 ) and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:52
S85	5	(activat\$4 same caus\$4 with inactivat\$4 ) and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:53

S86	2473	(activat\$4 with caus\$4 with deactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:53
S87	2	(activat\$4 with caus\$4 with deactivat\$4 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:54
S88	0	(activat\$4 near2 caus\$4 near2 deactivat\$4 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:55
S89	197	(activat\$4 near2 caus\$4 near2 deactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:55
S90	62	(activat\$4 near2 caus\$4 near2 deactivat\$4 ) and mobile or wireles and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 09:55
S91	15	(activat\$4 near2 caus\$4 near2 deactivat\$4 ) and (mobile or wireles) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:09
S92	2	(activat\$4 near2 caus\$4 near2 inactivat\$4 ) and (mobile or wireles) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:09
S93	3	(enabl\$4 near2 caus\$4 near2 disabl\$4 ) and (mobile or wireles) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:11

S94	0	(enabl\$4 near1 caus\$4 near1 disabl\$4 ) and (mobile or wireles) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:11
S95	0	(activ\$4 near1 caus\$4 near1 disactiv\$4 ) and (mobile or wireles) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:12
S96	0	(activ\$4 near1 caus\$4 near1 disactiv\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:12
S97	0	(activat\$4 near1 caus\$4 near1 disactiv\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:12
S98	3	(activat\$4 with caus\$4 with disactiv\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:13
S99	92	(activat\$4 with disactiv\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:13
S10 0	0	(activat\$4 with disactiv\$4 ) and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:14
S10 1	92	(activat\$4 with disactiv\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:14

S10 2	0	(activat\$4 with disactiv\$4 )and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:15
S10 3	0	(activat\$4 same disactiv\$4 )and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:15
S10 4	0	(activat\$4 same disactivat\$4 )and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:15
S10 5	185	(activat\$4 same disactivat\$4 ) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:15
S10 6	8875	pdp and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:16
S10 7	20118421	pdp and activat @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:16
S10 8	20120339	pdp and activat\$3 @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 10:16
S10 9	19	GPRS and ( PDP) and activat\$3 same deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:41

S11 0	24	GPRS and ( PDP) and deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:54
S11 1	243	( PDP) and deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:56
S11 2	7	( PDP) and (deactivat\$3 same modem\$1) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:58
S11 3	456	( PDP) and (deactivat\$3 samd modem\$1) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 11:59
S11 4	111	( PDP) and (deactivat\$3 samd modem\$1) and (wireless or mobile) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 12:00
S11 5	6	( PDP) and (deactivat\$3 same modem\$1) and (wireless or mobile) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 12:00
S11 6	18	( PDP) and (deactivat\$3 and modem\$1) and (wireless or mobile) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 12:11
S11 7	22	( PDP) and (unable\$3 and modem\$1) and (wireless or mobile) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 12:12

S118	35	( PDP) and (disable\$3 and modem\$1) and (wireless or mobile) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 13:55
S119	2	( PDP) and automatical\$3 near1 deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:34
S120	9	( PDP) and connection\$1 with deactivat\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:38
S121	0	"deactivate in response to activate" and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:38
S122	4	deactivate adj3 response adj3 activate and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:39
S123	69	deactivat\$4 adj3 respons\$3 adj3 activat\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:39
S124	0	deactivat\$4 adj3 respons\$3 adj3 activat\$4 and @ad<="20001229" and PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:40
S125	0	deactivat\$4 adj3 respons\$3 adj3 activat\$4 and @ad<="20001229" and GPRS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:40

S12 6	0	deactivat\$4 adj3 respons\$3 adj3 activat\$4 and @ad<="20001229" and dial near2 up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:40
S12 7	1	deactivat\$4 adj3 respons\$3 adj3 activat\$4 and @ad<="20001229" and modem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:41
S12 8	0	"709"/.ccls. and deactivat\$4 adj3 respons\$3 adj3 activat\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:41
S12 9	4	"709"/.ccls. and deactivat\$4 with respons\$3 adj3 activat\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:44
S13 0	1377858	"709"/.ccls. and deactivat\$4 near1 respons\$3 activat\$4 activat\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:44
S13 1	5	"709"/.ccls. and deactivat\$4 near1 respons\$3 with activat\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:48
S13 2	0	"709"/.ccls. and deactivat\$4 near1 respons\$3 with (new near1 connetion\$1) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:48
S13 3	558	deactivat\$4 near1 respons\$3 with activat\$4 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:48

S13 4	1	deactivat\$4 near1 respons\$3 with activat\$4 and @ad<="20001229" and PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:49
S13 5	7	(deactivat\$4 near1 respons\$3) and @ad<="20001229" and PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:57
S13 6	2	(deactivat\$4 near1 respons\$3) and @ad<="20001229" and GPRS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:58
S13 7	0	(deactivat\$4 near1 previous) and @ad<="20001229" and GPRS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:58
S13 8	0	(deactivat\$4 near4 response near1 activat\$4) and @ad<="20001229" and GPRS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:59
S13 9	905	(deactivat\$4 near4 response near1 activat\$4) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:59
S14 0	956	(deactivat\$4 near4 response near2 activat\$4) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:59
S14 1	3	(deactivat\$4 near4 response near2 activat\$4) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:02



S14 2	0	(disabl\$4 near4 response near2 activat\$4) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:02
S14 3	0	(disconnect\$4 near4 response near2 activat\$4) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:02
S14 4	0	(paus\$4 near4 response near2 activat\$4) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:02
S14 5	9	(paus\$4 near4 activat\$4) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:04
S14 6	628	(paus\$4 with4 switch\$4 near1 line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:04
S14 7	0	(paus\$4 with switch\$4 near1 line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:05
S14 8	0	(paus\$4 same switch\$4 near1 line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:05
S14 9	0	(paus\$4 same switch\$4 near2 line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:05

S15 0	3	(paus\$4 same switch\$4 near4 line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:33
S15 1	43	(paus\$4 with line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:34
S15 2	2	(paus\$4 with line\$1) and dial-up and pdp and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:35
S15 3	0	(paus\$4 with line\$1) same dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:35
S15 4	40	(deactivat\$3 with line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 16:36
S15 5	18	(deactivat\$3 near4 line\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:28
S15 6	18	(deactivat\$3 with modem) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:41
S15 7	50	(deactivat\$3 same modem) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:58

S15 8	1	(deactivat\$3 with establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:59
S15 9	3	(deactivat\$3 same establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 18:01
S16 0	18	(modem near1 disconnect\$3 same establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 18:04
S16 1	0	(modem near1 disconnect\$3 same respons\$4 near1 establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 18:04
S16 2	0	(modem near1 disconnect\$3 same respons\$4 near4 establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 18:04
S16 3	1	(modem near1 disconnect\$3 with establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 18:05
S16 4	1	(modem near2 disconnect\$3 with establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 18:05
S16 5	18	(modem near2 disconnect\$3 same establish\$3 near1 connection\$1) and dial-up and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 18:05

S16 6	2	("6026079").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:29
S16 7	2	("5636209").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:31
S16 8	2	("20020048354").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:32
S16 9	2	("6904025").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:49
S17 0	0	delet\$3 near1 default near1 PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 10:50
S17 1	0	delet\$3 near1 default near1 PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:50
S17 2	0	disabl\$3 near1 default near1 PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:51
S17 3	0	deactivat\$3 near1 default near1 PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:51

S17 4	16	default near1 PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:51
S17 5	2094814	remove default near1 PDP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:51
S17 6	11	default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:58
S17 7	0	disable near4 default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:58
S17 8	0	deactivat\$4 near4 default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:59
S17 9	0	delet\$4 near4 default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:59
S18 0	0	liminat\$4 near4 default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:59
S18 1	0	liminat\$4 with default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:59

S18 2	0	deactivat\$4 with default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 10:59
S18 3	0	disabl\$4 with default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:00
S18 4	0	disabl\$4 with primary near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:00
S18 5	0	disabl\$4 with primary near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:00
S18 6	0	deactivat\$4 with primary near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:00
S18 7	0	dedelet\$4 with primary near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:00
S18 8	0	delet\$4 with primary near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:00
S18 9	0	delet\$4 same primary near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:01

S19 0	0	delet\$4 same default near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:01
S19 1	0	deactivat\$4 same default near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:01
S19 2	0	deactivat\$4 same default with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:01
S19 3	29	deactivat\$4 same PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:52
S19 4	1	("6847610").PN.	USPAT; USOCR	OR	OFF	2005/10/11 12:58
S19 5	5	Dial same PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:10
S19 6	4	TE same MT same PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:31
S19 7	0	TE same MT same PDP and dial and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:59
S19 8	5	PDP same dial and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 15:39

S19 9	11	default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 15:40
S20 0	0	modem same default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 15:40
S20 1	11	default near1 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 15:49
S20 2	13	default near2 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:00
S20 3	0	attach\$4 near1 mobile with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:00
S20 4	91	mobile with PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:00
S20 5	0	mobile with initial near3 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:01
S20 6	52	mobile near4 PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 16:01



S20 7	5	mobile near4 PDP and PPP and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 17:22
S20 8	1	("20030039237").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/11 17:22
S20 9	2	(dial) same GGSN and @ad<="20001229"	USPAT	OR	ON	2005/10/12 14:46
S21 0	4	(dial) same GGSN and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:58
S21 1	3	(PPP) with GGSN and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:17
S21 2	0	(connection\$1 with deactiavat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:18
S21 3	0	(dial\$1 with deactiavat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:18
S21 4	0	(dial\$1 same deactiavat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:18
S21 5	602	(dial\$1 same deactivat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:18

S21 6	246	(dial\$1 with deactivat\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:18
S21 7	1	(dial\$1 with deactivat\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:19
S21 8	5	(dial\$1 same deactivat\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:22
S21 9	31	(connection\$1 same deactivat\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:22
S22 0	10	(connection\$1 with deactivat\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:34
S22 1	64	(connection\$1 with disconnect\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:35
S22 2	0	(connection\$1 with caus\$3 near1 disconnect\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:34
S22 3	0	(connection\$1 with simulat\$5 near1 disconnect\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:35

S22 4	0	(connection\$1 with disconnect\$3 near1 default) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:35
S22 5	2	(connection\$1 near1 establish\$3 with disconnect\$3) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:37
S22 6	0	(connection\$1 with disconnect\$3 near3 modem) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:38
S22 7	0	(connection\$1 with disconnect\$3 near3 modem) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:38
S22 8	0	(connection\$1 with disconnect\$3 near3 modem) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:39
S22 9	0	(connection\$1 with disconnect\$3 with modem) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:39
S23 0	1	(connection\$1 same modem near1 disconnect\$3 ) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:41
S23 1	6	(connection\$1 same respons\$ near3 disconnect\$3 ) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:44

S23 2	2	(connection\$1 with respons\$ near3 disconnect\$3 ) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:43
S23 3	2	(connection\$1 with respons\$ near5 disconnect\$3 ) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:43
S23 4	0	(connection\$1 near1 cause\$3 near1 disconnect\$3 ) and PDP\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:44
S23 5	66	(connection\$1 near1 cause\$3 near1 disconnect\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:45
S23 6	2	"709"/\$.ccls. and (connection\$1 near1 cause\$3 near1 disconnect\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:46
S23 7	1	"455"/\$.ccls. and (connection\$1 near1 cause\$3 near1 disconnect\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:47
S23 8	3	"370"/\$.ccls. and (connection\$1 near1 cause\$3 near1 disconnect\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:48
S23 9	0	"370"/\$.ccls. and (connection\$1 near1 cause\$3 near1 interupt\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:49

S24 0	0	"370"/\$.ccls. and (connection\$1 near1 cause\$3 near1 interrupt\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:49
S24 1	6	(connection\$1 near1 cause\$3 near1 interrupt\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:50
S24 2	26	(activat\$3 near1 cause\$3 near1 interrupt\$3 )and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:52
S24 3	20119417	(activat\$3 near1 cause\$3 near1 interrupt\$3 ) and PDPand @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:52
S24 4	0	(activat\$3 near1 cause\$3 near1 interrupt\$3 ) and PDP and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:52
S24 5	0	(activat\$3 near1 cause\$3 near1 interrupt\$3 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:52
S24 6	0	(activat\$3 near3 cause\$3 near1 interrupt\$3 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:53
S24 7	30	(activat\$3 with interrupt\$3 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:01

S24 8	0	(activat\$3 with interrupt\$3 near1 connection\$1 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:55
S24 9	0	(activat\$3 with interrupt\$3 near1 link\$1 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:55
S25 0	9	(activat\$3 with disable\$3 ) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:03
S25 2	70	enable with caus\$4 near1 disabl\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:05
S25 3	15	enable near1 caus\$4 near1 disabl\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:07
S25 4	60	enable adj4 caus\$4 adj4 disabl\$3 and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:07
S25 5	0	(enable adj4 caus\$4 adj4 disabl\$3) and GPRS and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:08
S25 6	0	(enable adj4 caus\$4 adj4 disabl\$3) and pdp and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:08

S25 7	2	"709"/\$.ccls. and (enable adj4 caus\$4 adj4 disabl\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:09
S25 8	2	"370"/\$.ccls. and (enable adj4 caus\$4 adj4 disabl\$3) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:10
S25 9	0	(enable adj4 caus\$4 adj4 disabl\$3 near1 connection) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:10
S26 0	606	(connection adj4 caus\$4 adj4 connection) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:10
S26 1	29	(connection adj4 caus\$4 adj4 disconnection) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:10
S26 2	29	(connection\$1 adj4 caus\$4 adj4 disconnection\$1) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:13
S26 3	8	(connection\$1 adj2 caus\$4 adj2 disconnection\$1) and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:11
S26 4	97	(connection\$1 with disconnection\$1) and call near1 waiting and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:13

S26 5	33696	(connection\$1 with disconnection\$1) samecall near1 waiting and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:13
S26 6	6	(connection\$1 with disconnection\$1) same call near1 waiting and @ad<="20001229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:14